



stage 1		  
	10	4 2


Minimum Number of Rounds R Required:	10
Scoring targets:	4 IPSC Targets, 2 IPSC poppers
Competitor Ready Condition:	Competitor standing erect on mark as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets
Safety angles:	90 degrees left/right, High of top of the backtop




stage 2		  
	30	14 2



Minimum Number of Rounds R Required:	30
Targets:	14 IPSC Targets, 2 IPSCmetal plates
Competitor Ready Condition:	Competitor standing erect anywhere as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets
Safety angles:	90 degrees left/right, High of top of the backtop




stage 3		  
	22	10 2



Minimum Number of Rounds R Required:	22
Targets:	10 IPSC Targets, 2 IPSC Poppers
Competitor Ready Condition:	Competitor standing erect anywhere as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets
Safety angles:	90 degrees left/right, High of top of the backtop




stage 4		  
	20	9 2



Minimum Number of Rounds R Required:	20
Targets:	9 IPSC Targets, 2 IPSC Poppers
Competitor Ready Condition:	Competitor standing erect anywhere as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets
Safety angles:	90 degrees left/right, High of top of the backtop




stage 5		  
	18	7 4


Minimum Number of Rounds R Required:	18
Targets:	7 IPSC Targets, 4 IPSC Poppers
Competitor Ready Condition:	Competitor standing erect anywhere as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets Popper P1 activates moving target. All moving targets remains visible at the end of the movement.
Safety angles:	90 degrees left/right, High of top of the backtop




stage 6				
	12	4	3	1



Minimum Number of Rounds R Required:	12
Targets:	4 IPSC Targets, 3 IPSC Popper, 1 IPSC metalplate
Competitor Ready Condition:	Competitor standing erect on mark as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets
Safety angles:	90 degrees left/right, High of top of the backtop




stage 7		
	12	6



Minimum Number of Rounds R Required:	12
Targets:	6 IPSC Targets
Competitor Ready Condition:	Competitor standing erect on mark as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets Timer activates moving target All moving targets remains visible at the end of the movement.
Safety angles:	90 degrees left/right, High of top of the backtop




stage 8		  
	30	13 4


Minimum Number of Rounds R Required:	30
Targets:	13 IPSC Targets, 4 IPSC metal plates
Competitor Ready Condition:	Competitor standing erect on mark as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets
Safety angles:	90 degrees left/right, High of top of the backtop




stage 9				
	12	4	2	2



Minimum Number of Rounds R Required:	12
Targets:	4 IPSC Targets, 2 IPSC Poppers, 2 plates
Competitor Ready Condition:	Competitor standing erect on mark as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets Popper P1 activates moving target All moving targets remains visible at the end of the movement.
Safety angles:	90 degrees left/right, High of top of the backtop




stage 10				
	20	9	2	



Minimum Number of Rounds R Required:	20
Targets:	9 IPSC Targets, 2 IPSC Poppers
Competitor Ready Condition:	Competitor standing erect anywhere as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal
Procedure:	After start signal engage all the targets
Safety angles:	90 degrees left/right, High of top of the backtop



stage 11		  
	14	6 2

Minimum Number of Rounds R Required:	14
Targets:	6 IPSC Targets, 2 IPSC Poppers
Competitor Ready Condition:	Competitor standing erect on mark as demonstrated, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied
Time Start:	Audible signal Timer activates moving target
Procedure:	After start signal engage all the targets Popper P1 activates moving target All moving targets remains visible at the end of the movement.
Safety angles:	90 degrees left/right, High of top of the backtop



stage 12		  
	8	1 6

Minimum Number of Rounds R Required:	8
Targets:	1 IPSC Target, 6 IPSC poppers
Competitor Ready Condition:	Competitor standing erect anywhere as demonstrated,
Firearms Ready Condition:	Unloaded (Option 3): magazine on the table
Time Start:	light signal
Procedure:	After start signal engage all the targets Popper P1 activates moving target All moving targets remains visible at the end of the movement.
Safety angles:	90 degrees left/right, High of top of the backtop

